




ex DataLookUp

Fill headerfields in QPS with data

The ex DataLookUp XTension simplifies the work with QuarkPublishingSystem® (QPS) for Editorials and Layouter with filling the correct data in the headerfields while checking in articles or layouts. The headerfields has to be type "text". When leaving a headerfield with typing the tabulator button a list with the possible values opens and the user only has to choose the needed one. Therefor every headerfield can be configured in the way that it's depended on the content of another headerfield, which in turn was filled out by ex DataLookUp. This data can come from an XML- or an ASCII-file or directly read out from an URL.

Beyond the ex DataLookUp XTension gives information to the [ex Plan2Page XTension](#).





Autor: ACB **Autorname:** 30270,Carina Buchenau

Online: **Kategorie:** x - keine Angabe

Embargo-Datum: **Embargo-Zeit:** **Priorität:**

Page Pictures

Pages: First Page Black & White Colour

Format: QuarkCopyDesk

Cancel OK

Category

- XTension

Theme

- Text
- Utilities

Related Products

- [Honorarsystem](#)

Developer

- CoDesCo



ex DataLookUp

2.0.0b1

Operating System

Mac OS:

X 10.5, X 10.4

Software

XPress:

8.x

QPS:

8.1

Copy Desk:

8.x

Language

German, English

Product Type

Demoversion (available on request), Full Version

Delivery Form

digital

Status

Product available

[Request Proposal](#)

ex DataLookUp 1.2

Operating System

Mac OS:

X 10.4

Win:

XP, Vista

Software**XPress:**

6.5x

QPS:

3.5x

Copy Desk:

3.5x

Language

German, English

Product Type

Full Version,
Demoverision (available
on request)

Delivery Form

digital

Status

Product available

[Request Proposal](#)