

ex FolderWatch

Process-automatisation through the monitoring of folders which contains QuarkXPress documents


ex FolderWatch allows the monitoring of a variable number of folders. Contained QuarkXPress documents will be recognized automatically. Predefined processes will be executed automatically.

The folders can contain subfolders. All QuarkXPress documents in the subfolders will be recognized as well. Jobs can be defined, which trigger on special predefined functions of other XTensions. These functions could be:


- Creation of PDF- or EPS-Files with **ex EPSCreator**
- Printing or creation of PDF-, PostScript- or EPS-Files with **ex PrintTools**
- Export in XML format with **ex XML Exporter**
- Automated recognition of document structures with **ex AutoStructure**


To work with ex FolderWatch a dedicated computer with QuarkXPress is needed. All founded QuarkXPress documents in the folder will be opened and the predefined job will be executed. After the job is done the QuarkXPress document will be closed automatically.

If the job is done and the document is closed the document will be moved into a target-folder or in case of an occurred error into a predefined error-folder.



In "Choose Process" active XTensions like ex PrintTools, ex XML Exporter or ex TranslationFilter are listed and they can be selected with the desired option.





Category

- XTension

Theme

- Editorial Workflow
- Utilities

Related Products

- [ex AutoJob](#)

Developer

- CoDesCo



ex FolderWatch 3.4

Operating System

Mac OS:

X 10.11, X 10.10, X 10.9,
X 10.8

Win:

Win 10, Win 8.1, Win 8,
Win 7

Software

XPress:

11.x, 10.x, 9.x

Language

German, English

Product Type

Full Version

Delivery Form

digital

Status

Product available

[Request Proposal](#)

ex *FolderWatch 1.0*

Operating System**Mac OS:**

X 10.6, X 10.5, X 10.4

Software**XPress:**

8.x, 7.x

Language

German, English

Product Type

Full Version

Delivery Form

digital

Status

Product available

[Request Proposal](#)