

ex QPS2DIGAS

Export of in QPS checked-in productionsites for the Digital Archiv System (DIGAS)

The XTension exports articles of in QPS checked-in QuarkXPress pages structured into a ASCII file. All contained pictures in an article will be collected in a defined folder and marked over placeholders in the ASCII file. In this form the exported content can be imported into the Digital Archive System (DIGAS).

Functions:

The memory location of the exportdata (ASCII/PDF) must be set in the preferences, before the export. All information entered in the definitions or read out of QPS headerfields (Jahrgang, Rubrik, Autor) will appear in the Digas Export File (cp. below screenshot).

ex QPS2Digas

Publikation: MERIAN

Ausgabe Export: Server HD_2: DigasExport.Export

Ausgabe PDF: Server HD_2: DigasExport.PDF

Definitionen: Text

Lieferant: CoDesCo

☐ Vertraulich:

Objektkürzel: MERIAN

Objektnummer: 2009

Objektname: MERIAN

Jahrgang: Jahrgang

☐ Rubrik:

☐ Inhalt exportieren für:

☐ Autor: Urheber

☐ Unterartikel: UA

Über Abbrechen OK

Before export all QPS componentnames (layout element) must be allocated to the DIGAS names

ex QPS2Digas

Publikation: MERIAN

Ausgabe Export: Server HD_2: DigasExport.Export

Ausgabe PDF: Server HD_2: DigasExport.PDF

Definitionen: Text

Zuordnung von: ☒ Stilvorlagen ☐ Komponenten

Layout-Element	Digas-Feld	Format
Normal + Themen	Text	biv

☐ Fontersetzung:

Über Abbrechen OK

ex QPS2Digas

Publikation: MERIAN

Ausgabe Export: Server HD_2: DigasExport.Export

Ausgabe PDF: Server HD_2: DigasExport.PDF

Definitionen: Text

Zuordnung von: ☐ Stilvorlagen ☒ Komponenten

Layout-Element	Digas-Feld	Format
BU	Bildunterschrift	
Dachzeile	Oberzeile	
Fotocredit	Text	
Fußzeile	Fußnote	
Headline	Überschrift	
Info-Kasten	Text	
Lauftext	Text	
Meldungen	Text	
Sonstiges	Text	
Unterartikel	Text	
Unterheadline	Überschrift	
Vorspann	Vorspann	
Zwischenteil	Überschrift	

☐ Fontersetzung:

Über Abbrechen OK

If articles should be exported to DIGAS, the XTension asks for the following parameters: Publikation, Ausgabe, Ausgabe-Nr., Jahrgang, and E-Tag. The necessary metadata can be read out of the QPS system as QPS attributes or respectively set as a constant.

Additional to DIGAS export a PDF can be created of the exported article.

Manuelle Unterscheidung löschen

Zeilen prüfen

Artikel für Export nach Digas auswählen

Publikation: MERIAN

If all settings are set, the chosen article will be converted into an ASCII file. Additionally, this file contains all previously entered (QPS headerfields) information. The content of this ASCII file can now be exported into DIGAS.

Dependent on the before defined QPS componentnames and DIGAS names will be placed all pagecontent/- information structured in the DIGAS database.



Category

- XTension

Theme

- Database Publishing
- Converting

Related Products

- [ex QPS2PMG](#)
- [Redaktionssystem](#)

Developer

- CoDesCo

**ex QPS2DIGAS 8****Operating System****Mac OS:**

X 10.5, X 10.4

Software**XPress:**

8.x, 7.4

Language

German, English

Product Type

Full Version,
Demoversion (available
on request)

Delivery Form

digital

Status

Product available

[Request Proposal](#)